

uni**pro**[®]

Making
your
lights
shine

PRODUCT CATALOG

2026





Making your lights shine

Unipro Oy Ltd with its parent company Meka Pro Ltd are both part of the privately owned Propria Group in Finland. Unipro (www.unipro.fi) is specialized in manufacturing high quality lighting track products. Unipro products are already sold in over 50 countries. New and modern factory is located in Hämeenlinna, Finland, close to all the main routes and harbours.

The unipro® lighting track system is a great and popular choice for offices, shopping centers, shops, museums, gyms and restaurants - only your imagination is the limit. It is a flexible solution for situations where the customer needs to increase or decrease the lighting space or re-arrange the lighting in general.

Unipro is the word for high quality products, modern design and smooth installation. The unipro® lighting track system offers flexibility in designing advanced lighting systems.

Our system includes surface and recessed 3-phase and Control-DALI lighting tracks, adapters and a wide range of mounting accessories.

Universal and modular design is easy to expand and adapt to the customer's wishes and requirements.

L-corners are adjustable and reversible with changeable earthing for fast and easy installation.

In fire-safety situations halogen-free lighting track parts will not release any flammable gases harmful for health. It is advisable to use halogen free products especially in premises full of people and challenging evacuation conditions.



Unipro has completed the carbon footprint study –
Please get in touch if you want to know more about our
carbon footprint.

unipro®



Green aluminium

In today's world, everyone is concerned about the environment and therefore industries and businesses are seeking innovative solutions to reduce their carbon footprint. One such method is the adoption of green aluminum, that promises a more sustainable future.

Unipro® is now offering green aluminum to those customers, who are requesting low-carbon footprint products. This green aluminum substantially reduces the carbon footprint. One ton of 100% recycled aluminum saves approximately 6 tons of bauxite and 9 tons of CO2 carbon emissions.



PVC halogen free products

What are halogens and why should you care? Elements like fluorine, chlorine, bromine, iodine and astatine are found in many chemical compounds like in PVC (polyvinylchloride). As we are aware of, PVC is used in many technical products to make them more durable. PVC is also used for insulation while other halogens are added to improve flame protection. However, halogens are harmful to human health. Particularly, in a situation where halogenated plastics and particularly PVC, burn. In a case of fire these halogens react with water or fluids and create a dangerous hydrochloric acid, other mixtures of dioxins and toxic chemicals. These can seriously damage health or even cause some mortalities.

This is why all Unipro connectors, adapters and 3-phase DALI tracks are manufactured completely using PVC- and Halogen free plastics.

Environmental product packaging

Humans are sinking the world with plastic. This is an enormous challenge for our environment. Therefore, unipro® has invested in a new automated track packaging line that enhances the productivity and offers individually packed tracks that are easy to transport and use at installation sites. The material is 30% recycled and recyclable plastic. On top of that all unipro® accessories are packaged in recycled cardboard that has helped unipro® reduce the use of plastic in packaging for over 1 tonne annually.



Helvar

Smart partners

Most recently Unipro has partnered with Helvar to offer their intelligent solutions to the 3-phase DALI track system. The new Helvar ActiveAhead® is a truly intelligent and scalable wireless lighting solution. Its unique self-learning capabilities give ultimate efficiency in setup and operations. ActiveAhead® will continuously learn and generate insights, maximising positive impact on wellbeing and optimising your ever-evolving building. Helvar ActiveAhead® is the perfect solution for offices, warehouses, stair- ways and parking garages.

Universal solutions

The unipro® lighting tracks are designed for surface and recessed installations. All unipro® tracks are compatible with most common adapters. Furthermore, unipro® tracks use Flat copper conductors that provide the best possible electrical contact with track adapters and require minimum work before installation.

The unipro® 3-phase adapters A79 (5 kg) and A90 (10 kg) are compatible with most 3-phase lighting tracks. Also the A90C (10 kg) 3-phase DALI adapter is suitable with most compatible DALI tracks in the market. The A200 Driver adapter family offers the latest technology with integrated drivers.

All connection units have reliable and easy-to-use screw terminals for 2.5mm² solid or braided wires. Power supply options are available on most of the connector pieces, such as MCU, L-corners, T-piece and X-unit.




Wide selection of track **lengths**

Unipro offers a wide selection of track lengths suitable for various solutions. Lengths vary from 1,2 m to 4m and this allows the designers and architects to maximize the different possibilities in their design. We can also provide special requests as made-to-measure lengths accordingly.

Easy to install

The suspension parts for Unipro tracks can be used for all track products. They are easy to use and can be installed even without any special tools. Many wires are available also in white and black giving the suspended track solutions the perfect finish for your customer.







NO.	TYPE	ITEM	PAGE
1	Jointing unit	UNIPRO JU3	8
2	Cover strip	UNIPRO CS3B	8
3	Ceiling bracket	UNIPRO CB3B	23
4	Quick ceiling bracket	UNIPRO QCB B	23
5	Middle connection unit	UNIPRO MCU3B	9
6	3-phase lighting track	UNIPRO T32B	6
7	3-phase lighting track, recessed	UNIPRO T32FB	7
8	Power outlet adapter	UNIPRO A100B	20
9	Luminaire adapter	UNIPRO A75B	18
10	Bluetooth control unit	UNIPRO A80BT B	20
11	Luminaire adapter	UNIPRO A90B	18
12	In-Track Driver adapter	UNIPRO A203B	19
13	Suspension hook	UNIPRO SH	27
14	Adjustable wire suspension set with hook	UNIPRO WS40H	22
15	L-corner	UNIPRO LC3B	9
16	Extension nut for threaded rod M6	JM M6 EG	27

NO.	TYPE	ITEM	PAGE
17	Nut for threaded rod M6	MU M6 EG	27
18	Cover plate	UNIPRO CP3B	8
19	Quick connector	UNIPRO QC3G	23
20	End cap	UNIPRO EC3B	8
21	Connection unit	UNIPRO CU3AB	9
22	Suspension clamp	UNIPRO SC3B	24
23	Pendant bracket	UNIPRO PB B	23
24	Pendant coupler	UNIPRO PC B	24
25	Wall bracket	UNIPRO WB B	24
26	Ø1,5 mm wire with loop	UNIPRO WL40 B	26
27	Adjustable corner	UNIPRO ALC3B	10
28	T-piece	UNIPRO TA3AB	10
29	Adjustable wire gripper	UNIPRO WG B	26
30	Adjustable wire suspension set	UNIPRO WS40 B	25
31	Adjustable wire set with loop wire	UNIPRO WS40L B	25
32	Adjustable wire set with loop wire X-piece	UNIPRO WSL40 B	25
33	X-piece	UNIPRO XA3B	10

LIGHTING TRACK FOR SURFACE INSTALLATION

16 A | 250/400 VAC | 50 Hz | CLASS 1 IP20



CODE	PRODUCT	WGT kg/pce	LENGTH mm	COLOUR	PACKAGE
14	UNIPRO T312W	1.567	2000	R	4 PCE / 4.8 MTR
59160	UNIPRO T32W	1.88	2400	White	4 PCE / 8 MTR
14	UNIPRO T324W	2.348	3000	White	4 PCE / 9.6 MTR
59102	UNIPRO T33W	3.134	4000	White	4 PCE / 12 MTR 4
14 592	UNIPRO T34W	0.94	1200	White	PCE / 16 MTR 4
92 14	UNIPRO T312G	1.567	2000	White	PCE / 4.8 MTR 4
59103	UNIPRO T32G	1.88	2400	Grey Grey	PCE / 8 MTR
1459304	UNIPRO T324G	2.348	3000	Grey Grey	4 PCE / 9.6 MTR
1459166	UNIPRO T33G	3.134	4000	Grey	4 PCE / 12 MTR 4
14 592 3	UNIPRO T34G	0.94	1200	Black	PCE / 16 MTR 4
2	UNIPRO T312B	1.567	2000	Black	PCE / 4.8 MTR 4
1459293	UNIPRO T32MB	1.88	2400	Black	PCE / 8 MTR
14 592 3	UNIPRO T324MB	2.348	3000	Black	4 PCE / 9.6 MTR
3	UNIPRO T33MB	3.134	4000	Black	4 PCE / 12 MTR 4
1459304	UNIPRO T34MB				PCE / 16 MTR
1459159					

1459429

14

59195


1459430

1459438

RECESSED LIGHTING TRACK




16 A | 250/400 VAC | 50 Hz | CLASS 1 IP20



CODE	PRODUCT	WGT kg/m	LENGTH m	COLOUR	PACKAGE
14	UNIPRO T32FW	3.569	4000	R	4 PCE / 8 MTR
59112	UNIPRO T34FW	1.785	2000	White	4 PCE / 16 MTR
14	UNIPRO T32FG	3.569	4000	White	4 PCE / 8 MTR
59114	UNIPRO T34FG	1.785	2000	Grey Grey	4 PCE / 16 MTR
14	UNIPRO T32FB	3.569	4000	Black	4 PCE / 8 MTR
59182	UNIPRO T34FB			Black	4 PCE / 8 MTR
14					4 PCE / 16 MTR


59184
145931
2
145931
4



unipro® T3 lighting tracks

Materials

	The lighting track frame is made of aluminium and the insulation is made of plastic. The phase and neutral wires are made of 2.5mm² copper, protective earthing is achieved with the lighting track's aluminium frame. Surface treatment options are painted white (RAL9003), grey (RAL7040), black (RAL9005) and anodised natural colour. Other RAL colours.
Wires	Three phase wires (L1, L2 and L3), neutral wire (N) and protective earthing (PE).
Protection class	Protection class 1 IP20
Quality and safety	Tested in compliance with EN60570 and EN60598.
Other	Can be cut to the appropriate length on site. Copper wires do not need to be bent or otherwise worked on after cutting.



END CAP EC3


Endcapfor3-phaselighting tracks.



ENR	PRODUCT	WGT kg/1000 pce	COLOUR	PACKAGE
14 59181	UNIPRO EC3W	0.006	White	20 PCE / 1 BG
14 59281	UNIPRO EC3G	0.006	Grey	20 PCE / 1 BG
	UNIPRO EC3B		Black	20 PCE / 1 BG
145938				
1				

COVER STRIP L=2M CS3


Coverstripfor3-phaseandControl-DALIlighting tracks. Length 2m.



ENR	PRODUCT	WGT kg/1000 pce	COLOUR	PACKAGE
1459444	UNIPRO CS3W	0.125	White	8 PCE / 16 MTR
1459445	UNIPRO CS3B		Black	8 PCE / 16 MTR

COVER PLATE CP3


Cover plateforrecessed lighting track systems, to cover the CU and MCU connection units as well as the L-, T- and X-pieces. Can be folded to the suitable shape during installation.



ENR	PRODUCT	WGT kg/1000 pce	COLOUR	PACKAGE
14 59191	UNIPRO CP3W	0.017	White	5 PCE / 1 BG
14 592	UNIPRO CP3G	0.017	Grey	5 PCE / 1 BG
91	UNIPRO CP3B		Black	5 PCE / 1 BG
145939				
1				

JOINTING UNIT JU3


Jointingunitfor 3-phase lightingtracks. Product comes with grey and black covers. A cover can be instal-
led by pressing it on top of the jointing unit.



ENR	PRODUCT	WGT kg/1000 pce	PACKAGE
1459199	UNIPRO JU3	0.045	10 PCE / BG

CONNECTION UNIT CU3

Powersupply option for 3-phase lighting track systems. Two earthing options. Screw terminals for 3x1.5mm² – 5x2.5mm² wires.



Please note! Earthing pictures taken from below.

ENR	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
14 5912	UNIPRO CU3AW	0.058	White	10 PCE / 1 BG
1 14 592	UNIPRO CU3AG	0.058	Grey	10 PCE / 1 BG
592 2 1	UNIPRO CU3AB		Black	10 PCE / BG
145932				
1				
14 5912	UNIPRO CU3BW	0.058	White	10 PCE / 1 BG
2 14 592	UNIPRO CU3BG	0.058	Grey	10 PCE / 1 BG
2 2	UNIPRO CU3BB	0.058	Black	10 PCE / 1 BG
145932				

MIDDLE CONNECTION UNIT MCU3


Powersupply option for 3-phase lighting track systems. Screw terminals for 3x1.5mm² – 5x2.5mm² wires.



ENR	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
14	UNIPRO MCU3W	0.104	White	8 PCE / 1 BG
59131	UNIPRO MCU3G	0.104	Grey	8 PCE / 1 BG
145923	UNIPRO MCU3B		Black	8 PCE / 1 BG
1				
145933				
1				

L-CORNER LC3

Powersupply option for 3-phase lighting track systems. Changeable earthing line position. Screw terminals for 3x1.5mm² – 5x2.5mm² wires.




Please note! Earthing pictures taken from below.

ENR	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
14 5914	UNIPRO LC3W	0.105	White	6 PCE / 1 BG
1 14 5924	UNIPRO LC3G	0.105	Grey	6 PCE / 1 BG
5924 1	UNIPRO LC3B		Black	6 PCE / 1 BG
145934				
1				

ADJUSTABLE CORNER ALC3

Horizontal adjustment range 0 ± 120°.





ENR	PRODUCT	WGT 0.95 Pce	COLOUR	PACKAGE
145915	UNIPRO ALC3W	0.13	White	4 PCE / 1 BG
1	UNIPRO ALC3G	0.13	Grey	4 PCE / 1 BG
145925	UNIPRO ALC3B		Black	4 PCE / 1 BG
1				
145935				
1				

T-PIECE TA3

Power supply option for 3-phase lighting track systems. Four earthing options.

Screw terminals for 3x1.5mm² – 5x2.5mm² wires.





Please note! Earthing pictures taken from below.

ENR	PRODUCT	WGT 0.95 Pce	COLOUR	PACKAGE
14	UNIPRO TA3AW	0.15	White	4 PCE / 1 BG
59161	UNIPRO TA3AG	0.15	Grey	4 PCE / 1 BG
14	UNIPRO TA3AB		Black	4 PCE / 1 BG
59261				
145936				
14	UNIPRO TA3BW	0.1	White	4 PCE / 1 BG
59162	UNIPRO TA3BG	5	Grey	4 PCE / 1 BG
14	UNIPRO TA3BB	0.1	Black	4 PCE / 1 BG
59262		5		
145936	UNIPRO TA3CW	0.1	White	4 PCE / 1 BG
3 14	UNIPRO TA3CG	5	Grey	4 PCE / 1 BG
5926 3	UNIPRO TA3CB	0.1	Black	4 PCE / 1 BG
1459363		5		
14 5916	UNIPRO TA3DW	0.1	White	4 PCE / 1 BG
4 14	UNIPRO TA3DG	5	Grey	4 PCE / 1 BG
5926 4	UNIPRO TA3DB	0.1	Black	4 PCE / 1 BG
1459364		5		
		0.1		
		5		


X-PIECE XA3

Power supply option for 3-phase lighting track systems. Screw terminals for 3x1.5mm² – 5x2.5mm² wires.



Please note! Earthing pictures taken from below.

ENR	PRODUCT	WGT 0.95 Pce	COLOUR	PACKAGE
14 591	UNIPRO XA3W	0.196	White	2 PCE / 1 BG
7 1	UNIPRO XA3G	0.196	Grey	2 PCE / 1 BG
145927	UNIPRO XA3B		Black	2 PCE / 1 BG
1				
145937				
1				





NO.	TYPE	ITEM	PAGE
1	Control-DALI Jointing unit	UNIPRO CJU3	15
2	Control-DALI Adjustable corner	UNIPRO CFC3 B	15
3	Cover strip L=2m	UNIPRO CS3B	14
4	Ceiling bracket	UNIPRO CB3B	23
5	Quick ceiling bracket	UNIPRO QCB B	23
6	Control-DALI Middle connection unit	UNIPRO CMCU3B	15
7	Control-DALI lighting track	UNIPRO TC32B	12
8	Control-DALI lighting track, recessed	UNIPRO TC32FB	13
9	Power outlet adapter	UNIPRO A100B	20
10	Control-DALI Luminaire adapter	UNIPRO A90CB	18
11	Suspension hook	UNIPRO SH	27
12	Adjustable wire suspension set with hook	UNIPRO WS40H	25
13	Control-DALI L-corner	UNIPRO CLC3B	16
14	Extension nut for threaded rod M6	JM M6 EG	27
15	Nut for threaded rod M6	MU M6 EG	27

NO.	TYPE	ITEM	PAG
16	Control-DALI Cover plate	UNIPRO CCP3 B	E 14
17	Quick connector	UNIPRO QC3G	23
18	Control-DALI End cap	UNIPRO CEC3B	14
19	Control-DALI Connection unit	UNIPRO CCU3AB	15
20	Suspension clamp	UNIPRO SC3B	24
21	Pendant bracket	UNIPRO PB B	23
22	Pendant coupler	UNIPRO PC B	24
23	Wall bracket	UNIPRO WB B	24
24	Ø1,5 mm wire with loop Control-DALI	UNIPRO WL40 B	26
25	T-piece	UNIPRO CTA3AB	16
26	Adjustable wire gripper	UNIPRO WG B	26
27	Adjustable wire suspension set	UNIPRO WS40 B	25
28	Adjustable wire set with loop wire	UNIPRO WS40L B	25
29	Adjustable wire set with loop wire	UNIPRO WSL40 B	25
30	Control-DALI X-piece	UNIPRO CXA3B	17

CONTROL-DALI LIGHTING TRACK FOR SURFACE INSTALLATION



Control-DALI lighting track for surface installation.
16 A, (250/400) VAC, 50 Hz, FELV ≤ 50VAC ≤ 1A, CLASS 1 IP20.
Free of halogens and PVCs.




CODE	PRODUCT	WGT kg / m	LENGTH mm	COLOUR	PACKAGE
1459243	UNIPRO TC312W	1.792	2000	White	4 PCE / 4.8 MTR
1459107	UNIPRO TC32W	2.15	2400	White	4 PCE / 8 MTR
1459253	UNIPRO TC324W	2.763	3000	White	4 PCE / 9.6 MTR
1459108	UNIPRO TC33W	3.684	4000	White	4 PCE / 12 MTR 4
1459109	UNIPRO TC34W	1.075	1200	White	PCE / 16 MTR 4
1459294	UNIPRO TC312G	1.792	2000	White	PCE / 4.8 MTR 4
1459237	UNIPRO TC32G	2.15	2400	Grey Grey	PCE / 8 MTR
1459254	UNIPRO TC324G	2.763	3000	Grey Grey	4 PCE / 9.6 MTR
1459238	UNIPRO TC33G	3.684	4000	Grey	4 PCE / 12 MTR 4
1459239	UNIPRO TC34G	1.075	1200	Black	PCE / 16 MTR 4
1459242	UNIPRO TC312B	1.792	2000	Black	PCE / 4.8 MTR 4
1459439	UNIPRO TC32MB	2.15	2400	Black	PCE / 8 MTR
1459260	UNIPRO TC324MB	2.763	3000	Black	4 PCE / 9.6 MTR
1459446	UNIPRO TC33MB	3.684	4000	Black	4 PCE / 12 MTR 4
1459447	UNIPRO TC34MB				PCE / 16 MTR


RECESSED UNIPRO CONTROL-DALI LIGHTING TRACK



Control-DALI lighting track for recessed installation.
16 A, (250/400) VAC, 50Hz, FELV ≤ 50VAC ≤ 1A, CLASS 1 IP20.
Free of halogens and PVCs.




CODE	PRODUCT	WGT kg/m	LENGTH m	COLOUR	PACKAGE
1459117	UNIPRO TC32FW	4.228	4000	R	4 PCE / 8 MTR
1459119	UNIPRO TC34FW	2.064	2000	White	4 PCE / 16 MTR
1459187	UNIPRO TC32FG	4.228	4000	White	4 PCE / 8 MTR
1459189	UNIPRO TC34FG	2.064	2000	Grey Grey	4 PCE / 16 MTR
1459317	UNIPRO TC32FB	4.228	4000	Black	4 PCE / 8 MTR
1459319	UNIPRO TC34FB			Black	4 PCE / 16 MTR



unipro® Control-DALI TC3 lighting tracks

Materials

	The lighting track frame is made of aluminium and the insulation is made of halogen and PVC-free plastic. The phase and neutral wires of 2.5mm² flat copper, control wires are made of 1.5mm² round copper. Protective earthing is achieved with the lighting track's aluminium frame. Surface treatment options are painted white (RAL9003), grey (RAL7040), black (RAL9005) and anodised natural colour. Other RAL Classic paint colours are possible with custom orders.
Wires	Three phase wires (L1, L2 and L3), neutral wire (N), protective earthing (PE) and data wires (D).
Protection class	Protection class 1 IP20
Quality and safety	Tested in compliance with EN60570 and EN60598.
Other	Can be cut to the appropriate length on site. Phase wires must be shortened by 5mm with TCCP copper cutting pliers.



COPPER CUTTING PLIERS FOR CONTROL-DALI TRACKS TCCP

Control-DALI lighting tracks L1, L2, L3 and N wires need to be shortened 5mm after cutting the lighting track so that the required electrical and safety clearances and distances are fulfilled.



CODE	PRODUCT	WGT	LENGTH	PACKAGE
1459190	UNIPRO TCCP	0.02 Pce	250	1 PCE

CONTROL-DALI END CAP CEC3


End cap for Control-DALI lighting tracks.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459196	UNIPRO CEC3W	0.006 Pce	White	20 PCE / 1 BG
59196	UNIPRO CEC3G	0.006	Grey	20 PCE / 1 BG
1459285	UNIPRO CEC3B		Black	20 PCE / 1 BG
1459385				

COVER STRIP L=2M CS3


Cover strip for 3-phase and Control-DALI lighting tracks. Length 2m.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459444	UNIPRO CS3W	0.125 Pce	White	1 PCE / 2 MTR
1459445	UNIPRO CS3B		Black	1 PCE / 2 MTR

CONTROL-DALI COVER PLATE CCP3

Cover plate for recessed Control-DALI lighting track systems, to cover the CCU and CMCU connection units as well as the L-, T- and X-pieces. Can be folded to the suitable shape during installation.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459101	UNIPRO CCP3 W	0.028 Pce	White	5 PCE / 1 BG
1459111	UNIPRO CCP3 B	0.028	Black	5 PCE / 1 BG
1459120	UNIPRO CCP3 G		Grey	5 PCE / 1 BG

CONTROL-DALI JOINTING UNIT CJU3


Jointing unit for Control-DALI lighting track systems. Product comes with grey and black covers. A cover can be installed by pressing it on top of the jointing unit.



CODE	PRODUCT	WGT	PACKAGE
14 59198	UNIPRO CJU3	0.059	8 PCE / 1 BG

CONTROL-DALI CONNECTION UNIT CCU3

Power supply option for Control-DALI track systems. Two earthing options. Screw terminals for 1.5mm² – 2.5mm² wires.



Please note! Earthing pictures taken from below.

CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459125	UNIPRO CCU3AW	0.079	White	8 PCE / 1 BG
14 592 2	UNIPRO CCU3AG	0.079	Grey	8 PCE / 1 BG
5	UNIPRO CCU3AB		Black	8 PCE / 1 BG
1459325				

14	UNIPRO CCU3BW	0.079	White	8 PCE / 1 BG
59126	UNIPRO CCU3BG	0.079	Grey	8 PCE / 1 BG
14 592	UNIPRO CCU3BB	0.079	Black	8 PCE / 1 BG

26
1459326

CONTROL-DALI MIDDLE CONNECTION UNIT CMCU3

Power supply option for Control-DALI track systems. Screw terminals for 1.5mm² – 2.5mm² wires.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
14 5912	UNIPRO CMCU3W	0.159	White	5 PCE / 1 BG
9	UNIPRO CMCU3G	0.159	Grey	5 PCE / 1 BG
1459228	UNIPRO CMCU3B		Black	5 PCE / 1 BG
1459335				

CONTROL-DALI ADJUSTABLE CORNER CFC

Power supply option for Control-DALI track systems. Screw terminals for 1.5mm² – 2.5mm² wires.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
145915	UNIPRO CFC3 W	0.2	White	1 PCE
4	UNIPRO CFC3 B		Black	1 PCE
145915				


2

CONTROL-DALI L-CORNER CLC3

Power supplyoption forControl-DALI tracksystems.Changeable earthing line position.
Screw terminals for 1.5mm² – 2.5mm² wires.




CODE	PRODUCT	WGT 0.158	COLOUR	PACKAGE
1459153	UNIPRO CLC3W	0.158	White	4 PCE / 1 BG
1459245	UNIPRO CLC3G	0.158	Grey	4 PCE / 1 BG
1459345	UNIPRO CLC3B		Black	4 PCE / 1 BG



Please note! Earthing pictures taken from below.

CONTROL-DALI T-PIECE CTA3

Power supplyoption forControl-DALI tracksystems. Four earthing options.
Screw terminals for 1.5mm² – 2.5mm² wires.







CODE	PRODUCT	WGT 0.24	COLOUR	PACKAGE
1459155	UNIPRO CTA3AW	0.24	White	2 PCE / 1 BG
1459255	UNIPRO CTA3AG	0.24	Grey	2 PCE / 1 BG
1459355	UNIPRO CTA3AB		Black	2 PCE / 1 BG

1459156	UNIPRO CTA3BW	0.24	White	2 PCE / 1 BG
1459256	UNIPRO CTA3BG	0.24	Grey	2 PCE / 1 BG
1459356	UNIPRO CTA3BB	0.24	Black	2 PCE / 1 BG

145915	UNIPRO CTA3CW	0.24	White	2 PCE / 1 BG
7	UNIPRO CTA3CG	0.24	Grey	2 PCE / 1 BG
145925	UNIPRO CTA3CB	0.24	Black	2 PCE / 1 BG


1459158	UNIPRO CTA3DW	0.24	White	2 PCE / 1 BG
7	UNIPRO CTA3DG	0.24	Grey	2 PCE / 1 BG
1459358	UNIPRO CTA3DB	0.24	Black	2 PCE / 1 BG




Please note! Earthing pictures taken from below.

CONTROL-DALI X-PIECE CXA3

PowersupplyoptionforControl-DALItracksystems. Screw terminals for 1.5mm² – 2.5mm² wires.



CODE	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
14 5916	UNIPRO CXA3W	0.323	White	1 PCE / 1 BG
7 14 592	UNIPRO CXA3G	0.323	Grey	1 PCE / 1 BG
7 5	UNIPRO CXA3B		Black	1 PCE / 1 BG
1459375				



Please note! Earthing picture taken from below.



LUMINAIRE ADAPTER A75

Rated values for 3-phase lighting track system: 6A, 250V | Pull strength 5kg, with L70 locking lever 7kg.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459016	UNIPRO A75G	0.034	Grey	12 PCE / 1 BG

LUMINAIRE ADAPTER A79

Rated values for 3-phase lighting track system: 6A, 250V | Pull strength 5kg.




CODE	PRODUCT	WGT	COLOUR	PACKAGE
145937	UNIPRO A79W	0.034	White	100 PCE / 1 BG
2	UNIPRO A79B		Black	100 PCE / 1 BG
145937				

7

LUMINAIRE ADAPTER A90

Rated values for 3-phase lighting track system: 6A, 250V | Pull strength 10kg.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459029	UNIPRO A90W	0.047	White	8 PCE / 1 BG
1459031	UNIPRO A90G	0.047	Grey	8 PCE / 1 BG
1459030	UNIPRO A90B		Black	8 PCE / 1 BG

CONTROL-DALI LUMINAIRE ADAPTER A90C


Rated values for Control-DALI system: 6A, 250V | FELV ≤ 50VAC ≤ 1A | Pull strength 10kg.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459026	UNIPRO A90CW	0.047	White	8 PCE / 1 BG
1459028	UNIPRO A90CG	0.047	Grey	8 PCE / 1 BG
1459027	UNIPRO A90CB		Black	8 PCE / 1 BG

IN-TRACK DRIVER ADAPTER A201

29-42 W, length 270 mm, for 3-phase lighting track systems



CODE	PRODUCT	WGT 0.07 Pce	COLOUR	PACKAGE
1459374	UNIPRO A201W	0.07	White	1 PCE
1459376	UNIPRO A201B	0.07	Black	1 PCE
1459373	UNIPRO A201G		Grey	1 PCE

IN-TRACK DRIVER ADAPTER A204CA

42W, length 270 mm, for 3-phase lighting track systems including Casambi



CODE	PRODUCT	WGT 0.07 Pce	COLOUR	PACKAGE
14 592	UNIPRO A204CAW	0.07	White	1 PCE
98	UNIPRO A204CAB	0.07	Black	1 PCE
1459299	UNIPRO A204CAG		Grey	1 PCE
1459300				

CONTROL-DALI IN-TRACK DRIVER ADAPTER A204C

42 W, length 270 mm, for 3-phase lighting track systems



CODE	PRODUCT	WGT 0.07 Pce	COLOUR	PACKAGE
14 592 95	UNIPRO A204CW	0.07	White	1 PCE
14 592 96	UNIPRO A204CB	0.07	Black	1 PCE
1459297	UNIPRO A204CG		Grey	1 PCE

POWER OUTLET ADAPTER A100




Powersupply with 1-or 3-phasepower, only compatible with unipro® 3-phase and Control-DALI lighting tracks. Cannot be used on DALI control.



CODE	PRODUCT	WGT kg / pce	COLOUR	PACKAGE
145901	UNIPRO A100W	0.065	White	6 PCE / 1 BG
1	UNIPRO A100G	0.065	Grey	6 PCE / 1 BG
145901	UNIPRO A100B		Black	6 PCE / 1 BG
3				
145901				
2				

MONOPOINT FOR ADAPTER A75 MP

Rated values: 10A, 250V | Pull strength 5kg.



CODE	PRODUCT	WGT kg / pce	COLOUR	PACKAGE
1459040	UNIPRO MP W	0.1	White	1 PCE
1459042	UNIPRO MP G	0.1	Grey	1 PCE
1459041	UNIPRO MP B		Black	1 PCE

INSTALLATION TOOL T1L

Toolforattachingwirestolightingadapters A75, A90 and A90C.



CODE	PRODUCT	WGT kg / pce	COLOUR	PACKAGE
1459099	UNIPROT1L		Grey	1 PCE

AL-NIPPLE M10 ALN

Lighting fixture for lighting adapter, M10 thread. Available thread lengths: 8mm and 12mm.



CODE	PRODUCT	WGT kg/1000 pce	COLOUR	PACKAGE
1459091	UNIPRO ALN10R8	0.006	R	100 PCE / 1 BG
1459092	UNIPRO ALN10R12		Grey Grey	100 PCE / 1 BG

COUNTER NUT FOR AL-NIPPLE NM10

M10 locknut for ALN10.



CODE	PRODUCT	WGT kg/1000 pce	COLOUR	PACKAGE
1459428	UNIPRO NM10	0.011	Grey	100 PCE / 1 BG

CABLE CLAMP CC70



CODE	PRODUCT	WGT kg/1000 pce	COLOUR	PACKAGE
1459010	UNIPRO CC70	0.002	Grey	100 PCE / 1 BG

QUICK CEILING BRACKET QCB

Tool-less snap installation to lighting tracks. Can be used with wire suspension set WS or threaded rod GT-6 with extension nut. Pull strength 15kg.



CODE	PRODUCT	WGT kg/1000	COLOUR	PACKAGE
145942	UNIPRO QCB W	0.008	White	10 PCE / 1 BG
1	UNIPRO QCB G	0.008	Grey	10 PCE / 1 BG
145942	UNIPRO QCB B		Black	10 PCE / 1 BG
2				

145942

3

QUICK CONNECTOR QC3

Twist to fasten to lighting track. M6 screw on top, grey, can be used with wire suspension sets, and threaded rods with extension nut. Pull strength 8kg.



CODE	PRODUCT	WGT kg/1000	COLOUR	PACKAGE
1459100	UNIPRO QC3G		Grey	10 PCE / 1 BG

CEILING BRACKET CB3

Steel ceiling clamp. Can be attached to wire suspension sets and threaded rods. Pull strength 20kg.



CODE	PRODUCT	WGT kg/1000	COLOUR	PACKAGE
14 59 4	UNIPRO CB3W	0.014	White	10 PCE / 1 BG
01 14 59	UNIPRO CB3G	0.014	Grey	10 PCE / 1 BG
4 02	UNIPRO CB3B		Black	10 PCE / 1 BG
1459403				

CEILING BRACKET FOR T-BAR CB3 T-BAR

Steel 24mm T-bar clamp. Pull strength 5kg.



CODE	PRODUCT	WGT kg/1000	COLOUR	PACKAGE
14 59 4	UNIPRO CB3W T-BAR	0.022	White	10 PCE / 1 BG
51 14 59	UNIPRO CB3G T-BAR	0.022	Grey	10 PCE / 1 BG
4 52 14	UNIPRO CB3B T-BAR		Black	10 PCE / 1 BG
59 453				

PENDANT BRACKET PB

Steel pendant bracket. Used with hooked wire suspension set WS40H, or wire set WSL40. Pull strength 20kg.



CODE	PRODUCT	WGT kg/1000	COLOUR	PACKAGE
1459407	UNIPRO PB W	0.02	White	10 PCE / 1 BG
14 59 4 08	UNIPRO PB G	0.02	Grey	10 PCE / 1 BG
14 59 4 09	UNIPRO PB B		Black	10 PCE / 1 BG

PENDANT COUPLER PC

Steel pendant bracket. Used on lighting track joints with hooked wire suspension set WS40H or WSL40.
Pull strength 20kg.



CODE	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
1459431	UNIPRO PC W	0.085	White	10 PCE / 1 BG
1459432	UNIPRO PC G	0.085	Grey	10 PCE / 1 BG
1459433	UNIPRO PC B		Black	10 PCE / 1 BG

WALL BRACKET WB

Steel wall bracket. Used with ceiling bracket CB3. Pull strength 3kg.



CODE	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
1459436	UNIPRO WB W	0.045	White	10 PCE / 1 BG
1459437	UNIPRO WB B		Black	10 PCE / 1 BG

SUSPENSION CLAMP SC3

Pull strength 10kg, for 3-phase and Control-DALI lighting tracks.



CODE	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
1459440	UNIPRO SC3W	0.065	White	10 PCE / 1 BG
1459441	UNIPRO SC3G	0.065	Grey	10 PCE / 1 BG
1459442	UNIPRO SC3B		Black	10 PCE / 1 BG

ADJUSTABLE WIRE SUSPENSION SET WS



WiresuspensionsetforCB3,QC3andQCBbrackets.Pullstrength15kg, WS40 W pull strength 12kg.



CODE	PRODUCT	WGT	LENGTH	COLOUR	PACKAGE
14 59 4	UNIPRO WS15	0.05	1500	Grey	1 PCE / 1 BG
10	UNIPRO WS15 B	0.08	4000	Black	1 PCE / 1 BG
145941	UNIPRO WS40	0.08	4000	Grey	1 PCE / 1 BG
5 14 59	UNIPRO WS40 B	0.08	4000	Black	1 PCE / 1 BG
4 11 14	UNIPRO WS40 W	0.11	6000	White	1 PCE / 1 BG
59 4 16	UNIPRO WS60			Grey	1 PCE / 1 BG
145941					

ADJUSTABLE WIRE SUSPENSION SET WITH HOOK WS40H

Wire suspension set for PB and PC brackets, pull strength 10kg.



CODE	PRODUCT	WGT	LENGTH	COLOUR	PACKAGE
14 59 4 14	UNIPRO WS40H	0.08	4000	Grey	1 PCE / 1 BG

ADJUSTABLE WIRE SET WITH LOOP WIRE WS40L

Wire suspension set for CB3, QC3 and QCB brackets, pull strength 15kg.



CODE	PRODUCT	WGT	LENGTH	COLOUR	PACKAGE
1459128	UNIPRO WS40L	0.05	4000	Grey	1 PCE / 1 BG

WIRE SET WITH ADJUSTABLE CEILING ATTACHMENT AND LOOP WIRE WSL40

Wire suspension set for PB and PC brackets, pull strength 15kg.



CODE	PRODUCT	WGT	LENGTH	COLOUR	PACKAGE
1459135	UNIPRO WSL40	0.05	4000	Grey	1 PCE / 1 BG

Ø1.5 MM WIRE WITH LOOP WL40

Ø1.5mm wire with loop, pull strength 15 kg, to be used with e.g. a WG wire gripper.



CODE	PRODUCT	WGT kg / Pce	LENGTH mm	COLOUR	PACKAGE
145914	UNIPRO WL40	0.05	4000	Grey	1 PCE / 1 BG
6	UNIPRO WL40 B			Black	1 PCE / 1 BG
145915					

0

ADJUSTABLE WIRE GRIPPER WG


Cable lock for Ø1.5mm wires, pull strength 20kg.



CODE	PRODUCT	WGT kg / Pce	COLOUR	PACKAGE
	UNIPRO WG	0.01	Grey	50 PCE
14 5914 0				
14 5914 5	UNIPRO WG B		Black	50 PCE

WIRE REEL, Ø=1.5MM, L=50M WR

50 metre Ø1.5 mm cable spool, steel grey, pull strength 15 kg, to be used with e.g. a WG wire gripper.



CODE	PRODUCT	WGT kg / Pce	LENGTH mm	COLOUR	PACKAGE
14 5912 7	UNIPRO WR	0.8	50000	Grey	1 PCE / 1 BG


SUSPENSION HOOK SH

Pull strength 1kg, for SC3 suspension base.



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459443	UNIPRO SH	0.002 kg / 1 pce	Grey	100 PCE / 1 BG

NUT MU / EXTENSION NUT JM



CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459427	MU M6 EG	0.01 kg / 1 pce	Grey	100 PCE / 1 BG

CODE	PRODUCT	WGT	COLOUR	PACKAGE
1459425	JM M6 EG	0.01 kg / 1 pce	Grey	100 PCE / 1 BG




Helvar

Intelligence of ActiveAhead® Combined With the Benefits of DALI Addressing

Helvar's ActiveAhead® is now available with UNIPRO 3-phase DALI track system.

ActiveAhead® now connects to DALI devices and the benefits of this can now be brought into Unipro DALI lighting track solution.





CODE	PRODUCT	PACKAGE
113165	HELVAR 5609	1 PCE

320TR & 320BTR

PIR Sensor + A90C, white for DALI

PIR Sensor + A90C, black for DALI



CODE	PRODUCT	PACKAGE
113166	HELVAR 320TR	1 PCE
113167	HELVAR 320BTR	1 PCE

321TR & 321BTR

MULTISensor + A90C, white for DALI

MULTISensor + A90C, black for DALI



CODE	PRODUCT	PACKAGE
11316	HELVAR 321TR	1 PCE
8	HELVAR 321BTR	1 PCE
11316		

9

322TR & 322BTR

High Bay MULTISensor + A90C, white for DALI

High Bay MULTISensor + A90C, black for DALI



CODE	PRODUCT	PACKAGE
113170	HELVAR 322TR	1 PCE
113171	HELVAR 322BTR	1 PCE

320D2TR & 320BD2TR

PIR Sensor (DALI-2) + A90C, white
PIR Sensor (DALI-2) + A90C, black



CODE	PRODUCT	PACKAGE
11317	HELVAR 320D2TR	1 PCE
2	HELVAR 320BD2TR	1 PCE
11317		

3

321D2TR & 321BD2TR

MULTISensor (DALI-2) + A90C, white for DALI
MULTISensor (DALI-2) + A90C, black for DALI



CODE	PRODUCT	PACKAGE
11317	HELVAR 321D2TR	1 PCE
4	HELVAR 321BD2TR	1 PCE
11317		

5

322D2TR & 322DTRB

High Bay MULTISensor (DALI-2) + A90C, white for DALI
High Bay MULTISensor (DALI-2) + A90C, black for DALI



CODE	PRODUCT	PACKAGE
11317	HELVAR 322D2TR	1 PCE
6	HELVAR 322DTRB	1 PCE
11317		

7



making
your
lights
shine

UNIPRO OY LTD
ITÄPORTINTIE 1, 13430 HÄMEENLINNA, FINLAND
+358 207 450 800
WWW.UNIPRO.FI